


## UE Mathematics for Computer Science

## Exercises in combinatorics

Consider a stack with the two primitives *push* and *pop*. An execution of a program consists in  $n$  operations *push* and  $n$  *pop* which could be interleaved. The execution is represented by a *mountain*, the function  $m(k)$  that gives the level of the stack after  $k$  operations.




Denote by  $M_n$  the number of *mountains* with  $n$  *push* (up-stroke) and  $n$  *pop* (down-stroke) operations and set  $M_0 = 1$ .

### Question 1 : Small $n$ cases

For  $n = 1, 2, 3$  give the possible *mountains* and deduce  $M_1, M_2, M_3$ .


An extended *mountain* of length  $2n$  with  $n$  up-strokes and  $n$  down-strokes allows to be under the sea level (bad mountains):



### Question 2 : Extended *mountains*

Compute the number of extended mountains with length  $2n$ .

The flip operation consists in exchanging all the slopes after the first passage below 0:



**Question 3 : Flipped mountains**

Show that the set of bad *mountains* is in bijection with the set of *mountains* with  $n - 1$  up-strokes and  $n + 1$  down-strokes.

**Question 4 : Computation**


Prove that

$$M_n = \frac{1}{n+1} \binom{2n}{n} = \frac{2n!}{(n+1)!n!}. \quad (1)$$

**Question 5 : Recurrence relation**

Show directly on mountain diagrams that the  $M_n$  numbers satisfy the recurrence equation:


$$M_n = M_0M_{n-1} + M_1M_{n-2} + \cdots + M_{n-1}M_0. \quad (2)$$

**Question 6 : Shake hands**

Suppose that  $2n$  persons are seated around a table, how many ways could they shake hands without crossing ?

**Question 7 : Circuits**

Circuits with perimeter  $2n + 2$



How many shapes of circuits could be done with  $2n + 2$  unit segments ?